

Parasa S, Desai M, Thoguluva Chandrasekar V, et al. Prevalence of gastrointestinal symptoms and fecal viral shedding in patients with coronavirus disease 2019: A Systematic Review and Meta-analysis.

JAMA Netw Open. 2020;3(6):e2011335. Published 2020 Jun 1.
doi:10.1001/jamanetworkopen.2020.11335

Table 1 Parasa S 2020. Characteristics of the Included Studies

| Source | Setting | Population | Patient numbers |
|-----------------------------|--|--|-----------------|
| Chen et al | Zhongnan Hospital, Wuhan, China | Pregnant women with laboratory-confirmed COVID-19 pneumonia | 9 |
| Zhang et al | Jinhua Hospital, China | Patients with laboratory-confirmed COVID-19 pneumonia | 14 |
| Wang et al | 21 hospitals in 17 cities in, China | Children | 31 |
| Xiao et al | Guangzhou, China | Hospitalized patients with SARS-CoV-2 detected in stool | 73 |
| Ling et al | Shanghai, China | All patients with COVID-19 in Shanghai region | 66 |
| Liu et al | hospitals in Hubei province, China | Patients with COVID-19 admitted to the respiratory departments | 137 |
| Yang et al | Wenzhou, China | Patients with SARS-CoV-2 infection confirmed via RT-PCR | 149 |
| Xu et al | hospitals in Zhejiang, China | Hospitalized patients with laboratory-confirmed SARS-Cov-2 | 62 |
| Liu et al | Jiangnan University Hospital, Wuhan, China | Physicians and nurses | 30 |
| Guan et al | Wuhan, China | Adults with SARS-CoV-2 infection | 1099 |
| Huang et al | Wuhan, China | Adult patients | 41 |
| Chen et al | Wuhan, China | Adult patients | 99 |
| Wang et al | Zhongnan, Wuhan | Adult patients | 138 |
| Zhang et al | Fever clinic in Beijing, China | All patients | 9 |
| Chen et al | Wuhan, China | Patient admitted to the isolation ward | 29 |
| Wang et al | Shanghai, China | Patients receiving combined Chinese and Western medicine | 4 |
| Chang et al | Beijing, China | Hospitalized patients | 13 |
| Pan et al | Wuhan, China | Adult patients | 204 |
| Luo et al | Wuhan, China | Hospitalized patients | 1141 |
| Zhou et al | Wuhan, China | Medical staff and nonstaff patients | 254 |
| Jin et al | Zhijang province, China | Adult patients | 651 |

| Preprint studies | | | |
|---------------------------------|---|------------------------------------|---------|
| Zhang et al | Hubei, Shiyan, China | Patients aged 0-14 y | 34 |
| Qian et al | Wuhan, China | NA | 91 |
| Fan et al | Shanghai, China | Patients aged 15-88 y | 148 |
| Zhao et al | Hospital of University of Science and Technology of China | Patients aged 16-91 y | 75 |
| Han et al | Wuhan, China | Hospitalized patients aged 27-92 y | 206 |
| Xu et al | Guangzhou, China | Pediatric patients | 10 |
| Wu and McGoogan | Multicenter CDC database | 72 314 case records | 44 ,672 |
| Liu et al | Union Hospital, Wuhan, China | Patients aged 23-63 y | 64 |

References

Chang D, Lin M, Wei L, et al. Epidemiologic and clinical characteristics of novel coronavirus infections involving 13 patients outside Wuhan, China. *JAMA*. 2020;323(11):1092-1093. doi:10.1001/jama.2020.1623

Chen H, Guo J, Wang C, et al. Clinical characteristics and intrauterine vertical transmission potential of COVID-19 infection in nine pregnant women: a retrospective review of medical records. *Lancet*. 2020;395(10226):809-815. doi:10.1016/S0140-6736(20)30360-3

Chen L, Liu HG, Liu W, et al. Analysis of clinical features of 29 patients with 2019 novel coronavirus pneumonia [in Chinese]. *Zhonghua Jie He He Hu Xi Za Zhi*. 2020;43(3):203-208.

Chen N, Zhou M, Dong X, et al. Epidemiological and clinical characteristics of 99 cases of 2019 novel coronavirus pneumonia in Wuhan, China: a descriptive study. *Lancet*. 2020;395(10223):507-513. doi:10.1016/S0140-6736(20)30211-7

Fan Z, Chen L, Li J, et al. Clinical features of COVID-19-related liver damage. *Clin Gastroenterol Hepatol*. 2020;3565(20):30482-1. doi:10.1016/j.cgh.2020.04.002

Guan WJ, Ni ZY, Hu Y, et al. China Medical Treatment Expert Group for Covid-19. Clinical characteristics of coronavirus disease 2019 in China. *N Engl J Med*. 2020;382(18):1708-1720. doi:10.1056/NEJMoa2002032

Han C, Duan C, Zhang S, et al. Digestive symptoms in COVID-19 patients with mild disease severity: clinical presentation, stool viral RNA testing, and outcomes. *Am J Gastroenterol*. 2020. doi:10.14309/ajg.0000000000000664

Huang C, Wang Y, Li X, et al. Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. *Lancet*. 2020;395(10223):497-506. doi:10.1016/S0140-6736(20)30183-5

Jin X, Lian JS, Hu JH, et al. Epidemiological, clinical and virological characteristics of 74 cases of coronavirus-infected disease 2019 (COVID-19) with gastrointestinal symptoms. *Gut*. 2020;69(6):1002-1009. doi:10.1136/gutjnl-2020-320926

Ling Y, Xu SB, Lin YX, et al. Persistence and clearance of viral RNA in 2019 novel coronavirus disease rehabilitation patients. *Chin Med J (Engl)*. 2020;133(9):1039-1043. doi:10.1097/CM9.0000000000000774

Liu J, Ouyang L, Guo P, et al. Epidemiological, clinical characteristics and outcome of medical staff infected with COVID-19 in Wuhan, China: a retrospective case series analysis. Preprint. Posted online March 13, 2020. medRxiv 2020.03.09.20033118. doi:10.1101/2020.03.09.20033118

Liu K, Fang YY, Deng Y, et al. Clinical characteristics of novel coronavirus cases in tertiary hospitals in Hubei Province. *Chin Med J (Engl)*. 2020;133(9):1025-1031. doi:10.1097/CM9.0000000000000744

Liu M, He P, Liu HG, et al. Clinical characteristics of 30 medical workers infected with new coronavirus pneumonia [in Chinese]. *Zhonghua Jie He He Hu Xi Za Zhi*. 2020;43(3):209-214. doi:10.3760/cma.j.issn.1001-0939.2020.03.014

Luo S, Zhang X, Xu H. Don't overlook digestive symptoms in patients with 2019 novel coronavirus disease (COVID-19). *Clin Gastroenterol Hepatol*. 2020;S1542-3565(20)30401-30408. doi:10.1016/j.cgh.2020.03.043

Pan L, Mu M, Yang P, et al. Clinical characteristics of COVID-19 patients with digestive symptoms in Hubei, China: a descriptive, cross-sectional, multicenter study. *Am J Gastroenterol*. 2020;115(5):766-773. doi:10.14309/ajg.0000000000000620

Qian G-Q, Yang NB, Ding F, et al. Epidemiologic and clinical characteristics of 91 hospitalized patients with COVID-19 in Zhejiang, China: a retrospective, multi-centre case series. *QJM*. Published online March 17, 2020. doi:10.1093/qjmed/hcaa089

Wang D, Ju XL, Xie F, et al. Clinical analysis of 31 cases of 2019 novel coronavirus infection in children from six provinces (autonomous region) of northern China [in Chinese]. *Zhonghua Er Ke Za Zhi*. 2020;58(4):269-274. doi:10.3760/cma.j.cn112140-20200225-00138

Wang D, Hu B, Hu C, et al. Clinical Characteristics of 138 Hospitalized Patients With 2019 Novel Coronavirus-Infected Pneumonia in Wuhan, China. *JAMA*. 2020;323(11):1061-1069. doi:10.1001/jama.2020.1585

Wu Z, McGoogan JM. Characteristics of and important lessons from the coronavirus disease 2019 (COVID-19) outbreak in China: summary of a report of 72 314 cases from the Chinese Center for Disease Control and Prevention. *JAMA*. Published online February 24, 2020. doi:10.1001/jama.2020.2648

Xiao F, Tang M, Zheng X, Liu Y, Li X, Shan H. Evidence for gastrointestinal infection of SARS-CoV-2. *Gastroenterology*. 2020;158(6):1831-1833.e3. doi:10.1053/j.gastro.2020.02.055

Xu Y, Li X, Zhu B, et al. Characteristics of pediatric SARS-CoV-2 infection and potential evidence for persistent fecal viral shedding. *Nat Med*. 2020;26(4):502-505. doi:10.1038/s41591-020-0817-4

Xu XW, Wu XX, Jiang XG, et al. Clinical findings in a group of patients infected with the 2019 novel coronavirus (SARS-Cov-2) outside of Wuhan, China: retrospective case series. *BMJ*. 2020;368:m606. doi:10.1136/bmj.m606

Yang W, Cao Q, Qin L, et al. Clinical characteristics and imaging manifestations of the 2019 novel coronavirus disease (COVID-19):A multi-center study in Wenzhou city, Zhejiang, China. *J Infect*. 2020;80(4):388-393. doi:10.1016/j.jinf.2020.02.016

Zhang C, Gu J, Chen Q, et al. Clinical characteristics of 34 children with coronavirus disease-2019 in the west of China: a multiple-center case series. Preprint. Posted online March 16, 2020. medRxiv 2020.03.12.20034686. doi:10.1101/2020.03.12.20034686 36.

Zhang J, Wang S, Xue Y. Fecal specimen diagnosis 2019 novel coronavirus-infected pneumonia. *J Med Virol*. Published online March 3, 2020. doi:10.1002/jmv.25742

Zhang MQ, Wang XH, Chen YL, et al. Clinical features of 2019 novel coronavirus pneumonia in the early stage from a fever clinic in Beijing [in Chinese]. *Zhonghua Jie He Hu Xi Za Zhi*. 2020;43(3):215-218. doi:10.3760/cma.j.issn.1001-0939.2020.03.015

Zhao Z, Xie J, Yin M, et al. Clinical and laboratory profiles of 75 hospitalized patients with novel coronavirus disease 2019 in Hefei, China. Preprint. Posted online March 6, 2020. medRxiv 2020.03.01.20029785. doi:10.1101/2020.03.01.20029785

Zhou Z, Zhao N, Shu Y, Han S, Chen B, Shu X. Effect of gastrointestinal symptoms on patients infected with coronavirus disease 2019. *Gastroenterology*. 2020;S0016-5085(20)30362-30370. doi:10.1053/j.gastro.2020.03.020